Primary Directions

A Predictive Tool of Astrology

Aakhut Em Bak

 Copyright © 2026

TABLE OF CONTENTS

1. PROPORTIONAL SEMI-ARCS

1.1 Equatorial coordinates 3
1.2 Direct and converse primary directions 4
1.3 The proportional semi-arc formula 5
1.4 Directing in the lower eastern sky 7
1.5 Directing in the upper western sky 8
1.6 Directing in the upper eastern sky 8
1.7 Directing in the lower western sky 9
1.8 Time-keys 10
1.9 Finding primary directions 12

2. MY GREAT SPIRITUAL EVENT

2.1 Introduction 15
2.2 Natal-related primary directions 15
2.3 The direct Jupiter-PC10 square 18
2.4 SR-related primary directions 20
2.5 The converse Moon-PC10 conjunction 22

3. A KING'S PASSING

3.1 Natal-related primary directions 27
3.2 The direct Saturn-PC7 conjunction 30
3.3 SR-related primary directions 33
3.4 The direct Saturn-PC4 conjunction 35

Bibliography 39

Index 40

 Copyright © 2026

1. PROPORTIONAL SEMI-ARCS

1.1 Equatorial coordinates

[Back to TOC]

The term 'primary directions' refers to techniques that use primary motion to predict events. In order to deal with the mathematics of primary directions, we will be using the **equatorial coordinate system**, which enables us to specify the location of any point of the celestial sphere in terms of pertinent values of longitude and latitude. Equatorial longitude (called **right ascension**) is angular distance measured along the equator, going from 0° to 360° as we go eastward from the March equinox point. Equatorial latitude (called **declination**) is angular distance (along the celestial sphere) from the equator, going from 0° to $+90°$ as we go perpendicularly northward and going from 0° to $-90°$ as we go perpendicularly southward.

If you are using the sidereal zodiac, then converting from sidereal ecliptic coordinates to equatorial coordinates involves going from sidereal ecliptic coordinates to tropical ecliptic coordinates and then to equatorial coordinates. Adding the *ayanāṃśa* to a sidereal ecliptic longitude yields its equivalent tropical ecliptic longitude, while tropical ecliptic latitude equals sidereal ecliptic latitude.

Both tropical ecliptic longitude and right ascension are measured from the March equinox point. Going from tropical ecliptic coordinates to equatorial coordinates is a conversion from one system of spherical coordinates to another. Consider a point of the celestial sphere that has tropical ecliptic longitude λ and ecliptic latitude β. Its right ascension RA and declination δ satisfy the equations

$$\cos\delta \times \cos(RA) = \cos\beta \times \cos\lambda \,,$$

$$\cos\delta \times \sin(RA) = \cos\varepsilon \times \cos\beta \times \sin\lambda - \sin\varepsilon \times \sin\beta \,,$$

$$\sin\delta = \sin\varepsilon \times \cos\beta \times \sin\lambda + \cos\varepsilon \times \sin\beta \,,$$

where the **obliquity** ε is the angle between the ecliptic plane and the celestial equatorial plane (which is the same as Earth's equatorial plane).

The obliquity is a slowly varying angle for which we will be using the approximation

$$\varepsilon \approx 23° \, 26' \, 21.406'' - 46.836769'' \times T \,,$$

where T is the signed number of Julian centuries since the epoch J2000.0. A **Julian year** is defined as exactly 365.25 days of 86400 seconds each. The epoch J2000.0 is a particular instant of time that is Saturday, 01 January 2000 at approximately 12:00 UTC. Note that T is positive for dates after the epoch and negative for dates before the epoch.

We find that

$$\delta = \arcsin(\sin\varepsilon \times \cos\beta \times \sin\lambda + \cos\varepsilon \times \sin\beta) \,.$$

On defining the **equinoctial distance**

 Copyright © 2026

$$ED := \arccos\left(\frac{\cos\beta \times \cos\lambda}{\cos\delta}\right),$$

we get

$$RA = \begin{cases} ED & \text{for } \lambda < 180° \\ 360° - ED & \text{for } \lambda > 180° \end{cases}.$$

Note that equinoctial distance is angular distance measured along the equator, going from 0° to 180° as we go eastward or westward from the March equinox point.

TABLE 1.1: Ecliptic latitudes for aspect copies

Aspect Copy	θ_A	β_A/β_0
Duodecile	30°	$+\sqrt{3}/2$
Sextile	60°	$+1/2$
Square	90°	0

Aspect Copy	θ_A	β_A/β_0
Trine	120°	$-1/2$
Quincunx	150°	$-\sqrt{3}/2$
Opposition	180°	-1

In order to get the ecliptic latitude of an aspect copy, we will use the **Bianchini aspect circle**. On the celestial sphere, this great circle passes through the parent planet's location and intersects the ecliptic at the two points corresponding to the planet's square aspects. In this regard, we will take each square copy to lie on the ecliptic at an intersection point, and we will take the opposition copy to lie at the point that is opposite the parent planet's location. It follows that the ecliptic latitude of an aspect copy having signature angular separation θ_A is given by

$$\beta_A = \beta_0 \times \cos\theta_A$$

where β_0 is the ecliptic latitude of the parent planet. TABLE 1.1 presents pertinent results.

1.2 Direct and converse primary directions

[Back to TOC]

Earth's axial rotation gives rise to **primary motion**. From the point of view of an earthbound observer, primary motion is perceived as Earth remaining at rest while the surrounding celestial sphere and everything on it (including the zodiacal belt) rotate about Earth's line of poles. It is useful here to imagine two celestial spheres that occupy the same volume of space – the active sphere and the fixed sphere. The **active sphere** is the celestial sphere undergoing its usual axial rotation according to primary motion. The **fixed sphere** is the celestial sphere as it appeared at a specific time of interest, which could be a birth time or a solar-return time. Primary motion moves the active sphere across the stationary fixed sphere.

From the point of view of an earthbound observer, primary motion causes the zodiacal belt (with the planets attached to it) to rotate backward through fixed houses of the local sky. A **primary direction** is the process of primary motion directing a given point of the active sphere backward through the houses toward a given point of the fixed sphere.

 Copyright © 2026

Each primary direction is associated with a predicted event. One of its two points is called the **significator**, and it indicates the area of life in which the predicted event will occur. The other point is called the **promissor**, and it indicates that which promises (that is, gives grounds for expecting) the predicted event. A primary direction is said to be **direct** if primary motion directs a promissor lying in the active sphere toward a significator lying in the fixed sphere. A primary direction is said to be **traditionally converse** if primary motion directs a significator lying in the active sphere toward a promissor lying in the fixed sphere. A primary direction is said to be **neo-converse** if reversed primary motion (which is a what-if notion) directs a promissor lying in the active sphere toward a significator lying in the fixed sphere.

A primary direction results in an **arc of direction**, which is the circular path along which primary motion has directed the active point (which lies in the active sphere) toward the fixed point (which lies in the fixed sphere). A primary direction is associated with a predicted event, and the angular length of the associated arc of direction is related to the time when the event is predicted to occur.

1.3 The proportional semi-arc formula

[Back to TOC]

The horizon and the meridian are great circles of the celestial sphere. The horizon (which contains the Ascendant and the Descendant) is the boundary between the upper sky (which contains the Midheaven) and the lower sky (which contains the Imum Coeli). Moreover, the meridian (which contains the Midheaven and the Imum Coeli) is the boundary between the eastern sky (which contains the Ascendant) and the western sky (which contains the Descendant).

A **quadrant-house system** uses the horizon and the meridian to divide the local sky into four quadrants: the lower eastern sky (which contains the 1st, 2nd, and 3rd Houses), the lower western sky (which contains the 4th, 5th, and 6th Houses), the upper western sky (which contains the 7th, 8th, and 9th Houses), and the upper eastern sky (which contains the 10th, 11th, and 12th Houses). The varying angular sizes of these quadrants result in houses of unequal angular size. The **cusp** of a house is the boundary that marks the beginning of that house. In a quadrant-house system, the Ascendant lies in the 1st-House cusp, the Descendant lies in the 7th-House cusp, the Midheaven lies in the 10th-House cusp, and the Imum Coeli lies in the 4th-House cusp.

In applying the method of primary directions, we are working with an astrological chart that is cast for a specific time of interest, which could be a birth time or,a solar-return time. For the time of the chart, consider an active-sphere point A and a fixed-sphere point F that lie in the same quadrant. The active point lies zodiacally ahead of the fixed point, and so primary motion will direct the active point toward the fixed point.

The active and fixed points each have a **semi-arc** that extends backward house-wise from one quadrant boundary to the other. The semi-arc of the active point is the path that it follows as the active sphere undergoes primary motion. The semi-arc of the fixed point is the path that it would follow if the fixed sphere were allowed to undergo primary motion. Note that points A and F usually have different semi-arcs. Therefore, whenever we say that point A will move toward point

 Copyright © 2026

F, we mean that point A will move along its own semi-arc and get closer to point F (which lies in its own semi-arc).

The angular length of a point's semi-arc is a non-negative quantity that depends on the point's declination δ and on the chart's geographical latitude Φ via the **ascensional difference**

$$AD = \arcsin(\tan\delta \times \tan\Phi) .$$

If the point lies in a quadrant of the chart's diurnal hemisphere, then it is part of a **diurnal semi-arc**. If the point lies in a quadrant of the chart's nocturnal hemisphere, then it is part of a **nocturnal semi-arc**. The angular length of a semi-arc is given by

$$SA = \begin{cases} 90° + AD & \text{for a diurnal semi-arc} \\ 90° - AD & \text{for a nocturnal semi-arc} . \end{cases}$$

Because AD is an arcsine value, its range is from $-90°$ to $+90°$. It follows that SA can never be negative.

Each semi-arc extends backward house-wise from one quadrant boundary to the other. If the beginning quadrant boundary is the eastern or western portion of the horizon, then each point lies along its own semi-arc at some angular distance HD away from the horizon. This **horizonal distance** is given by

$$HD = \begin{cases} (OA)_{Asc} - OA & \text{in the upper eastern sky} \\ (OD)_{Dsc} - OD & \text{in the lower western sky} , \end{cases}$$

where $OA = RA - AD$ is the **oblique ascension** and $OD = RA + AD$ is the **oblique descension**. Like right ascension RA, oblique ascension and oblique descension are increasing functions of ecliptic longitude. Because points A and F both lie zodiacally behind the horizon, their respective horizonal distances are nonnegative angular quantities.

If the beginning quadrant boundary is the upper or lower portion of the meridian, then each point lies along its own semi-arc at some angular distance MD away from the meridian. This **meridian distance** is given by

$$MD = \begin{cases} (RA)_{MC} - RA & \text{in the upper western sky} \\ (RA)_{IC} - RA & \text{in the lower eastern sky} . \end{cases}$$

Right ascension RA is an increasing function of ecliptic longitude. Because points A and F both lie zodiacally behind the meridian, their respective meridian distances are nonnegative angular quantities.

Let r be the point's **proportional location**, which is ratio of the point's angular distance (whether HD or MD) divided by its semi-arc's angular length SA. Note that r takes on values from 0 to 1. For the time of the chart, the active point lies zodiacally ahead of the fixed point, and so its proportional location is lesser. That is, we have $r_A < r_F$. As primary motion occurs, the active-point's proportional location increases. A **conjunction** occurs between points A and F whenever their proportional locations become equal. The arc of direction is the angle through which the active point must be moved (via primary motion) along its own semi-arc so that its proportional location goes from the chart value r_A to the conjunction value r_F. More specifically, we have

 Copyright © 2026

$$\text{arc of direction} = (r_F - r_A) \times (SA)_A$$

for a primary direction in the quadrant of interest. We will refer to this expression as the **proportional semi-arc formula**.

1.4 Directing in the lower eastern sky

[Back to TOC]

In a suitable astrological chart, consider an active-sphere point A and a fixed-sphere point F that lie in the lower eastern sky (that is, the quadrant consisting of the 1st, 2nd, and 3rd Houses). The active point lies zodiacally ahead of the fixed point, and so primary motion will direct the active point toward the fixed point.

The active and fixed points each have a nocturnal semi-arc that extends from the lower meridian (which contains the Imum Coeli) to the eastern horizon (which contains the Ascendant). Each point's angular distance along its own nocturnal semi-arc is given by the its meridian distance MD from the lower meridian. The positive ratios

$$r_A = \frac{(MD)_A}{(SA)_A} = \frac{(RA)_{IC} - (RA)_A}{90° - (AD)_A}\,, \qquad r_F = \frac{(MD)_F}{(SA)_F} = \frac{(RA)_{IC} - (RA)_F}{90° - (AD)_F}$$

respectively give each point's proportional location along its own nocturnal semi-arc.

Let's now consider the special case of the fixed point being the Ascendant. Because the Ascendant lies at the end of its own semi-arc, we have

$$1 = r_{Asc} = \frac{(RA)_{IC} - (RA)_{Asc}}{90° - (AD)_{Asc}} \;\Rightarrow\; (RA)_{IC} - (RA)_{Asc} = 90° - (AD)_{Asc}$$

$$\Rightarrow\; (RA)_{IC} = (OA)_{Asc} + 90°\,.$$

From Section 1.3, the proportional semi-arc formula yields the expression

$$\text{arc of direction} = (r_{Asc} - r_A) \times (SA)_A = \left[1 - \frac{(RA)_{IC} - (RA)_A}{90° - (AD)_A}\right] \times [90° - (AD)_A]$$

$$= \left\{\frac{[90° - (AD)_A] - [(OA)_{Asc} + 90°] + (RA)_A}{90° - (AD)_A}\right\} \times [90° - (AD)_A]$$

$$= 90° - (AD)_A - (OA)_{Asc} - 90° + (RA)_A = [(RA)_A - (AD)_A] - (OA)_{Asc}\,,$$

and so

$$\text{arc of direction} = (OA)_A - (OA)_{Asc}$$

for a primary direction having the Ascendant as the fixed point.

 Copyright © 2026

1.5 Directing in the upper western sky

[Back to TOC]

In a suitable astrological chart, consider an active-sphere point A and a fixed-sphere point F that lie in the upper western sky (that is, the quadrant consisting of the 7th, 8th, and 9th Houses). The active point lies zodiacally ahead of the fixed point, and so primary motion will direct the active point toward the fixed point.

The active and fixed points each have a diurnal semi-arc that extends from the upper meridian (which contains the Midheaven) to the lower horizon (which contains the Descendant). Each point's angular distance along its own diurnal semi-arc is given by its meridian distance MD from the upper meridian. The positive ratios

$$r_A = \frac{(MD)_A}{(SA)_A} = \frac{(RA)_{MC} - (RA)_A}{90° + (AD)_A}\,, \qquad r_F = \frac{(MD)_F}{(SA)_F} = \frac{(RA)_{MC} - (RA)_F}{90° + (AD)_F}$$

respectively give each point's proportional location along its own diurnal semi-arc.

Let's now consider the special case of the fixed point being the Descendant. Because the Descendant lies at the far endpoint of its own semi-arc, we have

$$1 = r_{Dsc} = \frac{(RA)_{MC} - (RA)_{Dsc}}{90° + (AD)_{Dsc}} \;\Rightarrow\; (RA)_{MC} - (RA)_{Dsc} = 90° + (AD)_{Dsc}$$

$$\Rightarrow\; (RA)_{MC} = (OD)_{Dsc} + 90°\,.$$

From Section 1.3, the proportional semi-arc formula yields the expression

$$\text{arc of direction} = (r_{Dsc} - r_A) \times (SA)_A = \left[1 - \frac{(RA)_{MC} - (RA)_A}{90° + (AD)_A}\right] \times [90° + (AD)_A]$$

$$= \left\{\frac{[90° + (AD)_A] - [(OD)_{Dsc} + 90°] + (RA)_A}{90° + (AD)_A}\right\} \times [90° + (AD)_A]$$

$$= 90° + (AD)_A - (OD)_{Dsc} - 90° + (RA)_A = [(RA)_A + (AD)_A] - (OD)_{Dsc}\,,$$

and so

$$\text{arc of direction} = (OD)_A - (OD)_{Dsc}$$

for a primary direction having the Descendant as the fixed point.

1.6 Directing in the upper eastern sky

[Back to TOC]

In a suitable astrological chart, consider an active-sphere point A and a fixed-sphere point F that lie in the upper eastern sky (that is, the quadrant consisting of the 10th, 11th, and 12th Houses). The active point lies zodiacally ahead of the fixed point, and so primary motion will direct the active point toward the fixed point.

 Copyright © 2026

The active and fixed points each have a diurnal semi-arc that extends from the eastern horizon (which contains the Ascendant) to the upper meridian (which contains the Midheaven). Each point's angular distance along its own diurnal semi-arc is given by its horizonal distance HD from the eastern horizon. The positive ratios

$$r_A = \frac{(HD)_A}{(SA)_A} = \frac{(OA)_{Asc} - (OA)_A}{90° + (AD)_A}\,, \qquad r_F = \frac{(HD)_F}{(SA)_F} = \frac{(OA)_{Asc} - (OA)_F}{90° + (AD)_F}$$

respectively give each point's proportional location along its own diurnal semi-arc.

Let's now consider the special case of the fixed point being the Midheaven. Because the Midheaven lies at the far endpoint of its own semi-arc, we have

$$1 = r_{MC} = -\frac{(OA)_{MC} - (OA)_{Asc}}{90° + (AD)_{MC}} \;\Rightarrow\; (OA)_{MC} - (OA)_{Asc} = -(AD)_{MC} - 90°$$

$$\Rightarrow\; (OA)_{Asc} = (RA)_{MC} + 90°\,.$$

From Section 1.3, the proportional semi-arc formula yields the expression

$$\text{arc of direction} = (r_{MC} - r_A) \times (SA)_A = \left[1 - \frac{(OA)_{Asc} - (OA)_A}{90° + (AD)_A}\right] \times [90° + (AD)_A]$$

$$= \left\{\frac{[90° + (AD)_A] - [(RA)_{MC} + 90°] + (OA)_A}{90° + (AD)_A}\right\} \times [90° + (AD)_A]$$

$$= 90° - (RA)_{MC} - 90° + (AD)_A + (OA)_A = [(OA)_A + (AD)_A] - (RA)_{MC}\,,$$

and so

$$\text{arc of direction} = (RA)_A - (RA)_{MC}$$

for a primary direction having the Midheaven as the fixed point.

1.7 Directing in the lower western sky

[Back to TOC]

In a suitable astrological chart, consider an active-sphere point A and a fixed-sphere point F that lie in the lower western sky (that is, the quadrant consisting of the 4th, 5th, and 6th Houses). The active point lies zodiacally ahead of the fixed point, and so primary motion will direct the active point toward the fixed point.

The active and fixed points each have a nocturnal semi-arc that extends from the lower horizon (which contains the Descendant) to the lower meridian (which contains the Imum Coeli). Each point's angular distance along its own nocturnal semi-arc is given by its horizonal distance HD from the lower horizon. The positive ratios

$$r_A = \frac{(HD)_A}{(SA)_A} = \frac{(OD)_{Dsc} - (OD)_A}{90° - (AD)_A}\,, \qquad r_F = \frac{(HD)_F}{(SA)_F} = \frac{(OD)_{Dsc} - (OD)_F}{90° - (AD)_F}$$

respectively give each point's proportional location along its own nocturnal semi-arc.

 Copyright © 2026

Let's now consider the special case of the fixed point being the Imum Coeli. Because the Imum Coeli lies at the far endpoint of its own semi-arc, we have

$$1 = r_{IC} = -\frac{(OD)_{IC} - (OD)_{Dsc}}{90° - (AD)_{IC}} \;\Rightarrow\; (OD)_{IC} - (OD)_{Dsc} = (AD)_{IC} - 90°$$

$$\Rightarrow\; (OD)_{Dsc} = (RA)_{IC} + 90°\,.$$

From Section 1.3, the proportional semi-arc formula yields the expression

$$\text{arc of direction} = (r_{IC} - r_A) \times (SA)_A = \left[1 - \frac{(OD)_{Dsc} - (OD)_A}{90° - (AD)_A}\right] \times [90° - (AD)_A]$$

$$= \left\{\frac{[90° - (AD)_A] - [(RA)_{IC} + 90°] + (OD)_A}{90° - (AD)_A}\right\} \times [90° - (AD)_A]$$

$$= 90° - (AD)_A - (RA)_{IC} - 90° + (OD)_A = [(OD)_A - (AD)_A] - (RA)_{IC}\,,$$

and so

$$\text{arc of direction} = (RA)_A - (RA)_{IC}$$

for a primary direction having the Imum Coeli as the fixed point.

1.8 Time-keys

[Back to TOC]

A primary direction is associated with a predicted event, and the angular length of the associated arc of direction is related to the time when the event is predicted to occur. In order to convert the angular length into the prediction time, we need a time-key. In this section, we will examine time-keys that pertain to natal and solar-return charts. Here are the pertinent hyperlinks:

1.8.1 The Ptolemy time-key
1.8.2 The Naibod time-key
1.8.3 The LR time-key

Let's move on!

Let's become familiar with some basics of time measurement. The **second** is the basic unit of time measurement. One **minute** is 60 seconds, and one **hour** is 60 minutes. A **sidereal day** is the time taken by Earth to complete a single rotation relative to the fixed stars, and it consists of approximately 23 hours, 56 minutes, and 4.0905 seconds (which is about 1436.068175 minutes). A sidereal day is a few minutes short of a **mean solar day**, which is the time taken by Earth to complete a single rotation and to advance about one degree along its orbital path about Sun. A mean solar day is exactly 24 hours, and it is the basis of the 24-hour civil day.

A **sidereal year** is the time taken by Earth to complete its orbit about Sun relative to the fixed stars, and it consists of 365 mean solar days, 6 hours, 9 minutes, and 9.8 seconds (which is about 365.256363 mean solar days). A **mean tropical year** is the time taken by Earth to complete its

 Copyright © 2026

annual cycle of seasons, and it consists of 365 mean solar days, 5 hours, 48 minutes, and 45.1 seconds (which is about 365.242189 mean solar days).

1.8.1 THE PTOLEMY TIME-KEY

[Back to Section 1.8]

The Ptolemy time-key (named after the Hellenistic astrologer Claudius Ptolemy) is useful when applying the method of primary directions to a natal chart. Earth's axial rotation gives rise to primary motion. Earth takes one sidereal day (about 1436.068175 minutes) to rotate by 360° about its axis. As Earth makes its daily axial rotation, it rotates at an angular rate of about

$$\frac{360\ deg}{1436.068175\ min} \approx \frac{1\ deg}{3.98907826\ min},$$

and so it takes Earth about 3.98907826 minutes to longitudinally rotate by 01°.

The **Ptolemy time-key** is the notion that one degree of Earth's axial rotation corresponds to one tropical year of age. Therefore, according to the Ptolemy time-key, each degree of the arc of direction corresponds to one tropical year of age. Moreover, every addition of about 3.98907826 minutes to the birth time symbolically advances the natal chart by one tropical year of age.

1.8.2 THE NAIBOD TIME-KEY

[Back to Section 1.8]

The Naibod time-key is useful when applying the method of primary directions to a natal chart. Earth's axial rotation gives rise to primary motion. From the point of view of an earthbound observer, Earth takes one mean tropical year (about 365.242189 mean solar days) to revolve by 360° about Sun. As Earth makes its yearly orbit, it moves at an angular rate of

$$\frac{360\ deg}{365.242189\ days} \approx \frac{0.985647362\ deg}{1\ day} \approx \frac{00°\ 59'\ 08.33050''}{1\ day}.$$

We may view Earth's yearly 360° orbit as a sequence of nearly 365.242189 steps, each step being about $0.985647362\ deg$.

Let's liken Earth's daily axial rotation to its yearly orbital motion about Sun. More specifically, let's view Earth's daily 360° axial rotation as a sequence of nearly 365.242189 steps, each step being about $0.985647362\ deg$. The **Naibod time-key** (named after the 16th-century German astrologer Valentine Naibod) is the notion that $0.985647362\ deg$ (or $00°\ 59'\ 08.33050''$) of Earth's axial rotation corresponds to one tropical year of age. Therefore, according to the Naibod time-key, each $0.985647362\ deg$ of the arc of direction corresponds to one tropical year of age. In this regard, we find that

$$\frac{1\ yr\ of\ age}{0.985647362\ deg} \approx \frac{1.01456164\ yrs\ of\ age}{1\ deg},$$

and so each degree of the arc of direction corresponds to about 1.01456164 tropical years of age.

 Copyright © 2026

It takes Earth about 3.98907826 minutes to longitudinally rotate by 01°, and so

$$0.985647362\ deg \times \frac{3.98907826\ min}{1\ deg} \approx 3.93182447\ min$$

is the time taken by Earth to longitudinally rotate by about $0.985647362\ deg$ (or 00° 59′ 08.33050″). Therefore, according to the Naibod time-key, every addition of about 3.93182447 minutes to the birth time symbolically advances the natal chart by one tropical year of age.

1.8.3 THE SR TIME-KEY

[Back to Section 1.8]

Primary motion is related to Earth's axial rotation, which has a time rate of

$$\frac{360\ deg}{1436.068175\ min} \approx \frac{1\ deg}{3.98907826\ min}.$$

Solar returns are related to Earth's orbital motion about Sun, which has a time rate of

$$\frac{360\ deg}{365.242189\ days} \approx \frac{1\ deg}{1.01456164\ days}.$$

The **SR time-key** is the notion that one degree of Earth's axial rotation corresponds to one degree of Earth's orbital motion. Therefore, according to the SR time-key, each degree of the arc of direction corresponds to about 1.01456164 mean solar days of age.

Every addition of about 3.98907826 minutes to the SR time symbolically advances the SR chart by about 1.01456164 mean solar days of age. We find that

$$\frac{3.98907826\ min}{1.01456164\ days\ of\ age} \approx \frac{3.93182447\ min}{1\ day\ of\ age},$$

and so every addition of about 3.93182447 minutes to the SR time symbolically advances the SR chart by one mean solar day of age.

1.9 Finding primary directions

[Back to TOC]

Regarding the Ptolemy and Naibod time-keys, we see that the native's life at A tropical years of age is revealed by what is happening astrologically when they are about $(4 \times A)$ minutes old. For example, the native's life at age 90 is revealed by an astrological chart that is cast for when the native is about 360 minutes old. If we take age 90 to be the human life span, then we can examine the native's entire life based on what is happening astrologically during the first 360 minutes (or 6 hours) after their birth.

Provided that **secondary motion** (that is, apparent movement along the zodiac) is negligible, we may view primary motion as causing the zodiacal belt (with the planets attached to it) to rotate backward through fixed houses of the local sky. During the 6-hour time period after birth, primary

 Copyright © 2026

motion directs the planets into major aspects with the angles (that is, the Ascendant, the Descendant, the Midheaven, and the Imum Coeli). These major planet-to-angle aspects are primary directions.

We will limit our attention to primary directions involving major planet-to-angle aspects. As previously found in Section 1.8.2, according to the Naibod time-key, every addition of about 3.93182447 minutes to the birth time symbolically advances the natal chart by one tropical year of age. This fact gives rise to the following fast and easy method for looking for natal-related primary directions:

> **Technique #PD1:** In order to examine the native's life around A tropical years of age, cast symbolic charts for about $(3.93182447 \times A)$ minutes before and after the birth time. In these symbolic charts, look for major planet-to-angle aspects, taking the margin of inexactness to be about 01°. These major aspects are primary directions that each predict an event to occur in the native's life around A tropical years of age.

The primary directions that are shown in the pre-birth symbolic chart are neo-converse. The primary directions that are shown in the post-birth symbolic chart are direct. The essence of this fast and easy method is presented by astrologer Anthony Louis in his blog post *Fast and Easy Primary Directions* (20 July 2019).

As previously found in Section 1.8.3, every addition of about 3.93182447 minutes to the SR time symbolically advances the SR chart by one mean solar day of age. This fact gives rise to the following fast and easy method for looking for SR-related primary directions:

> **Technique #PD2:** In order to examine the native's life around D mean solar days after the SR date, cast symbolic charts for about $(3.93182447 \times D)$ minutes before and after the SR time. In these symbolic charts, look for major planet-to-angle aspects, taking the margin of inexactness to be about 01°. These major aspects are primary directions that each predict an event to occur in the native's life around D days after the SR date.

The primary directions that are shown in the pre-SR symbolic chart are neo-converse. The primary directions that are shown in the post-SR symbolic chart are direct.

The accuracy of Techniques #PD1 and #PD2 depends on having negligible secondary motion. Moon moves at an average longitudinal speed of

$$13^\circ\, 10'35''\text{per day} \approx \frac{13.1763889\ deg}{24\ hr}$$

as it undergoes secondary motion along the celestial sphere. Therefore, during a 6-hour time period, Moon moves longitudinally by

$$\frac{13.1763889\ deg}{24\ hr} \times 6\ hr \approx 3.29409723\ deg \approx 03^\circ\, 17'\, 39'' ,$$

which is significant secondary motion. Therefore, we do not expect our techniques to work very well for Moon for a 6-hour real-time period after the chart time.

 Copyright © 2026

Mercury is the fastest of the remaining planets. Mercury moves at an average longitudinal speed of

$$01^\circ\,23'\,00''\text{ per day} \approx \frac{1.38333333\ deg}{24\ hr}$$

as it undergoes secondary motion along the celestial sphere. Therefore, during a 6-hour time period, Mercury moves longitudinally by

$$\frac{1.38333333\ deg}{24\ hr} \times 6\ hr \approx 0.345833333\ deg \approx 00^\circ\,20'\,45'',$$

which is about one third of a degree. On taking this amount to be negligible, our techniques work very well for each planet (other than Moon) for a 6-hour real-time period after the chart time.

For Technique #PD2, a 6-hour real-time period corresponds to

$$D \approx \frac{360\ min}{3.93182447\ min/(days\ of\ age)} \approx 91.5605472\ days\ of\ age$$

of symbolic time, which is about 3 months. Note that one quarter of a tropical year is

$$\frac{365.242189\ days}{4} \approx 91.3105473\ days,$$

and so Technique #PD2 is valid if the value of D lies in the first quarter of the SR year. For greater values of D, we may adapt Technique #PD2 for use with an SR-related chart that is cast for a suitable quarter of the SR year. For values of D lying in the second quarter of the SR year, we would use an SRQ2 chart, which is cast for when Sun makes a dexter square to its natal location. For values of D lying in the third quarter of the SR year, we would use an SRQ3 chart, which is cast for when Sun makes an opposition to its natal location. For values of D lying in the fourth quarter of the SR year, we would use an SRQ4 chart, which is cast for when Sun makes a sinister square to its natal location.

IMPORTANT COMMENTS: Techniques #PD1 and #PD2 are tools that enable us to cast astrological charts that help us to visually find primary directions involving major planet-to-angle aspects. These techniques work well whenever secondary motion is negligible.

 Copyright © 2026

2. MY GREAT SPIRITUAL EVENT

2.1 Introduction

[Back to TOC]

The astrological charts in this book are based on data provided by the websites Astrodienst (https://www.astro.com/horoscope) and Astro-Seek.com (https://www.astro-seek.com).

In this book, we will be using the tropical zodiac, Porphyry houses primarily, and whole-sign houses secondarily. As a quadrant-house system, the **Porphyry house system** uses the horizon and the meridian to divide the sky into four quadrants, each containing three houses. Moreover, the three Porphyry houses within a given quadrant are equal in angular expanse. The **whole-sign house system** is an ecliptic-based house system in which each house is tied to a single sign.

Regarding the Porphyry house system, we will be using the denotation 'PH*n*' to mean 'Porphyry House *n*' and the denotation 'PC*n*' to refer to its cusp. Note that PC1 contains the Ascendant, PC4 contains the Imum Coeli, PC7 contains the Descendant, and PC10 contains the Midheaven. The even-numbered, nonangular house cusps (that is, PC2, PC6, PC8, and PC12) have the same sign degree. Moreover, the odd-numbered, nonangular house cusps (that is, PC3, PC5, PC9, and PC11) have the same sign degree.

Regarding the whole-sign house system, we will be using the denotation 'WS*n*' to mean 'whole-sign House *n*'. In the whole-sign house system, WS1 is tied to the **rising sign** (that is, the sign of the Ascendant), WS7 is tied to the sign of the Descendant, but WS10 and WS4 are not always tied respectively to the signs of the Midheaven and the Imum Coeli.

2.2 Natal-related primary directions

[Back to TOC]

In May 1997, I went to Nigeria in order to get initiated into *Ifá*, which is a traditional African system of spiritual cultivation. The prominent day of my initiation period was Thursday, 22 May 1997. In this section, we will use Technique #PD1 (of Section 1.9) together with hindsight in order to see how my spiritual initiation shows up astrologically with respect to my natal chart (FIGURE 2.2a).

By Thursday, 22 May 1997 (the prominent initiation date), I had lived through 11 leap days (namely, those of 1956, 1960, 1964, 1968, 1972, 1976, 1980, 1984, 1988, 1992, and 1996). It follows that during my initiation period, my tropical age was about

$$\frac{[(11 \times 366) + (31 \times 365) + 23 + 30 + 22]\ days}{365.242189\ days/yr} \approx 42.2076104\ yrs\ .$$

On applying Technique #PD1 for $A \approx 42.2076104$, we get

 Copyright © 2026

$$(3.93182447 \times A)\ min \approx 165.952915\ min \approx 2\ hr + 45\ min + 57\ sec$$

as the chart-change term with respect to the natal chart (FIGURE 2.2a).

FIGURE 2.2a: My natal chart

Ma 07:11 (PC12) 21:22 WS12 TA	(PC11) 13:08 JDSC 19:53 WS11 AR	(PC10) 04:53 Su 17:21 WS10 PI	Ve 04:28 (PC9) 13:08 Me 20:02 WS9 AQ	(PC8) 21:22 WS8 CP
(PC1) 29:37 WS1 GE	**Aakhut Em Bak** Natal Chart (Tropical Zodiac) Tuesday, 08 MAR 1955 at 11:15 CST Chicago, IL (41° 51′ N; 87° 39′ W)			(PC7) 29:37 WS7 SA
Ju 19:59 R (PC2) 21:22 WS2 CN	(PC3) 13:08 WS3 LE	(PC4) 04:53 Mo 18:08 WS4 VI	(PC5) 13:08 WS5 LI	Sa 21:07 R (PC6) 21:22 WS6 SC

FIGURE 2.2b: Post-birth symbolic chart

Ju 19:59 R WS12 CN	(PC12) 29:24 WS11 GE	Ma 07:15 (PC11) 24:38 WS10 TA	(PC10) 19:51 WS9 AR	Su 17:28 (PC9) 24:38 WS8 PI
(PC1) 04:11 (PC2) 29:24 WS1 LE	**Aakhut Em Bak** (Tropical) Post-Birth Symbolic Chart Tuesday, 08 MAR 1955 at 14:00:57 CST Chicago, IL (41° 51′ N; 87° 39′ W)			(PC7) 04:11 Ve 04:36 Me 20:08 (PC8) 29:24 WS7 AQ
Mo 19:38 (PC3) 24:38 WS2 VI	(PC4) 19:51 WS3 LI	Sa 21:07 R (PC5) 24:38 WS4 SC	(PC6) 29:24 WS5 SA	WS6 CP

For the pre-birth symbolic chart, we subtract the chart-change term (2 hours, 45 minutes, and 57 seconds) from my birth time (Tuesday, 08 March 1955 at 11:15 am, CST), thereby getting 08:29:03

 Copyright © 2026

am, CST on the birth date. In this symbolic chart, we are looking for major planet-to-angle aspects having a margin of inexactness of about 01°. In this regard, we find nothing.

For the post-birth symbolic chart (FIGURE 2.2b), we add the chart-change term (2 hours, 45 minutes, and 57 seconds) to my birth time (Tuesday, 08 March 1955 at 11:15 am, CST), thereby getting 02:00:57 pm, CST on the birth date. In this symbolic chart, we are looking for major planet-to-angle aspects having a margin of inexactness of about 01°. In this regard, we find a Mercury-PC10 sextile, a Venus-PC7 conjunction, and a Jupiter-PC10 square. These aspects are direct primary directions.

We will limit our attention here to the direct Jupiter-PC10 square. Let's interpret this primary direction with regard to the natal chart and the post-birth symbolic chart. For natal Jupiter (in FIGURE 2.2a), we find the following:

> **[Natal] Jupiter in PH1:** Jupiter is the lord of PH7 (partnerships) and PH10 (achieving something significant; gaining prestige), and it is the natural representative of noble-minded action, high social position, religion/spirituality, and science & law among professions. Jupiter lies in the intersection of PH1 (the native's well-being) and Cancer WS2 (supportive persons or things). At her best, feminine Cancer safeguards those who are near and dear. In light of the foregoing, Jupiter refers to me as partnering with others in order to safeguard those who are near and dear.

For post-birth Jupiter (in FIGURE 2.2b), we find the following:

> **[Post-birth] Jupiter in PH12:** Jupiter is the lord of PH6 (being of service to others) and PH9 (spiritual or professional know-how), and it is the natural representative of noble-minded action, high social position, religion/spirituality, and science & law among professions. Jupiter lies in the intersection of PH12 and Cancer WS12, both houses referring to trying situations. At her best, feminine Cancer safeguards those who are near and dear. In light of the foregoing, Jupiter refers to me as undergoing trying situations in order to be of spiritual or professional service to others.

The direct Jupiter-PC10 square (in FIGURE 2.2b) refers to my *Ifá* initiation as being a spiritual trial that calls for me to bring my efforts into line with spiritual directives.

***

Let's use Technique #PD1 to get a prediction date. The direct Jupiter-PC10 square is a conjunction between Jupiter's dexter-square copy (JDSC) and the Midheaven (in PC10). Let's examine this conjunction in the absence of secondary motion. JDSC's natal ecliptic longitude is 19° 59′ 17″. The Midheaven's ecliptic longitude takes on this value at about 02:01:26 pm, CST on my birth date. From 11:15 am, CST (my birth moment) to 02:01:26 pm, CST (the conjunction moment), the chart-time difference is

$$\text{elapsed time} = 2\ hr + 46\ min + 26\ sec \approx 166.433333\ min\ .$$

On making use of Technique #PD1, this chart-time difference corresponds to an age difference of

 Copyright © 2026

$$\text{elapsed age} \approx \frac{1\ yr\ of\ age}{3.93182447\ min} \times 166.433333\ min \approx 42.32980\ yrs$$

$$= 42\ yrs + \left(0.32980\ yr \times \frac{365.242189\ days}{1\ yr}\right) \approx 42\ yrs + 120.45687\ days\ .$$

Therefore, according to Technique #PD1, the direct Jupiter-PC10 square predicts an event to occur about 120 days after Saturday, 08 March 1997 (my 42nd birthday), which is on Sunday, 06 July 1997 (Day 187 of 1997). This prediction date is 45 days after Thursday, 22 May 1997 (Day 142 of 1997; my prominent initiation day).

2.3 The direct Jupiter-PC10 square

[Back to TOC]

In Section 2.2, we found that my spiritual initiation shows up astrologically as the natal-related Jupiter-PC10 square. The Jupiter-PC10 square is a direct primary direction in which Jupiter's dexter-square copy (JDSC) is the active promissor and the Midheaven (in PC10) is the fixed significator. Both JDSC and the Midheaven lie in the upper eastern sky. From Section 1.6, we find that

$$\text{arc of direction} = (RA)_P - (RA)_{MC}\ ,$$

where the subscript P refers to the promissor.

Firstly, let's calculate the pertinent obliquity value. Between my birth time (Tuesday, 08 March 1955 at 11:15 CST, or 17:15 UTC) and the epoch J2000.0 (Saturday, 01 January 2000 at approximately 12:00 UTC), the elapsed time in Julian years is approximately

$$\frac{\left[(11 \times 366) + (34 \times 365) - \left(30 + 28 + 8 + \frac{5.25}{24}\right)\right] days}{365.25\ days/yr} \approx 44.8180185\ yrs\ ,$$

and so the signed number of Julian centuries since the epoch J2000.0 is

$$T \approx -\frac{44.8180185\ yrs}{100\ yrs} = -0.448180185\ .$$

On making use of the obliquity formula in Section 1.1, we get

$$\varepsilon \approx 23°\ 26'\ 21.406'' - 46.836769'' \times (-0.448180185)$$

$$\approx 23°\ 26'\ 21.406'' + 20.9913118'' = 23°\ 26'\ 42.3973118'' \approx 23.44511°\ .$$

Note that T is positive for dates after the epoch and negative for dates before the epoch.

Secondly, let's use pertinent formulas of Section 1.1 to deal with Jupiter's dexter-square copy (JDSC). In the natal chart (FIGURE 2.2a), Jupiter is at Cancer 19° 59′ 17″ with an ecliptic latitude of $+00°\ 28'\ 59''$. JDSC is at Aries 19° 59′ 17″ with a Bianchini ecliptic latitude of $(+00°\ 28'\ 59'') \times \cos 90° = 0°$. Therefore, we have

$$\lambda_P = 0° + 19°\ 59'\ 17'' = 19°\ 59'\ 17'' \approx 19.98806°\ , \qquad \beta_P = 0°\ .$$

 Copyright © 2026

We find that JDSC's declination is

$$\delta_P = \arcsin(\sin\varepsilon \times \cos\beta_P \times \sin\lambda_P + \cos\varepsilon \times \sin\beta_P)$$
$$\approx \arcsin(\sin 23.44511° \times \cos 0° \times \sin 19.98806° + \cos 23.44511° \times \sin 0°)$$
$$\approx +7.81655° .$$

The equinoctial distance here is

$$(ED)_P = \arccos\left(\frac{\cos\beta_P \times \cos\lambda_P}{\cos\delta_P}\right) \approx \arccos\left[\frac{\cos 0° \times \cos 19.98806°}{\cos(+7.81655°)}\right]$$
$$\approx 18.45411° .$$

Because $\lambda_P < 180°$, we get $(RA)_P = (ED)_P \approx 18.45411°$ as JDSC's right ascension.

Thirdly, let's use pertinent formulas of Section 1.1 to deal with the Midheaven. In the natal chart (FIGURE 2.2a), the Midheaven is at Pisces 04° 53′ 20″ with an ecliptic latitude of 0° exactly. Therefore, we have

$$\lambda_{MC} = 330° + 04° 53′ 20″ = 334° 53′ 20″ \approx 334.88889° , \qquad \beta_{MC} = 0° .$$

We find that the Midheaven's declination is

$$\delta_{MC} = \arcsin(\sin\varepsilon \times \cos\beta_{MC} \times \sin\lambda_{MC} + \cos\varepsilon \times \sin\beta_{MC})$$
$$\approx \arcsin(\sin 23.44511° \times \cos 0° \times \sin 334.88889° + \cos 23.44511° \times \sin 0°)$$
$$\approx -9.72074° .$$

The equinoctial distance here is

$$(ED)_{MC} = \arccos\left(\frac{\cos\beta_{MC} \times \cos\lambda_{MC}}{\cos\delta_{MC}}\right) \approx \arccos\left[\frac{\cos 0° \times \cos 334.88889°}{\cos(-9.72074°)}\right]$$
$$\approx 23.26664° .$$

Because $\lambda_{MC} > 180°$, we get $(RA)_{MC} = 360° - (ED)_{MC} \approx 336.73336°$ as the Midheaven's right ascension.

Now we are ready to deal with the arc of direction for the direct Jupiter-PC10 square. We find that

$$\text{arc of direction} = (RA)_P - (RA)_{MC} \approx 18.45411° - 336.73336° = -318.27925°$$
$$\equiv -318.27925° + 360° = 41.72075° .$$

According to the Naibod time-key, this arc indicates

$$41.72075\ deg \times \frac{1.01456164\ yrs\ of\ age}{1\ deg} \approx 42.32827\ yrs\ of\ age$$
$$= 42\ yrs + \left(0.32827\ yr \times \frac{365.242189\ days}{1\ yr}\right) \approx 42\ yrs + 119.89805\ days ,$$

 Copyright © 2026

and so the direct Jupiter-PC10 square predicts an event to occur about 120 days after Saturday, 08 March 1997 (my 42nd birthday), which is on Sunday, 06 July 1997 (Day 187 of 1997). This prediction date is 45 days after Thursday, 22 May 1997 (Day 142 of 1997; my prominent initiation day).

***

Our calculation of the arc of direction has been **in mundo**, which means that we have taken ecliptic latitude into account. Some astrologers calculate the arc of direction **in zodaico**, which means that they don't take ecliptic latitude into account. Ignoring ecliptic latitude amounts to taking all β-values to be 0°. On performing in-zodiaco calculations here, we get the corresponding in-mundo results because we truly have $\beta_P = \beta_{MC} = 0°$.

Regarding the direct Jupiter-PC10 square, we have used three ways to get an associated prediction date. Firstly, in Section 2.2, we used Technique #PD1 to get a prediction date of Sunday, 06 July 1997. Secondly, in this section, we performed in-mundo calculations and got a prediction date of Sunday, 06 July 1997. Thirdly, in this section, we performed in-zodiaco calculations and got a prediction date of Sunday, 06 July 1997. The three ways have yielded the same prediction date.

2.4 SR-related primary directions

[Back to TOC]

Having found a natal-related primary direction referring to my spiritual initiation, it is now legitimate to look for a pertinent SR-related primary direction. In this section, we will use Technique #PD2 (of Section 1.9) together with hindsight in order to see how my spiritual initiation shows up astrologically with respect to my 1997 solar-return chart.

On Saturday, 08 March 1997, I reached age 42. Sun reached its natal ecliptic longitude (347° 21′ 51″) on Friday, 07 March 1997 at 03:44:30 pm, CST (the SR time). FIGURE 2.4a presents my 1997 SR chart. From the SR date to Thursday, 22 May 1997 (the prominent initiation date), there are 76 mean solar days. On applying Technique #PD2 for $D = 76$, we get

$$(3.93182447 \times D)\ min \approx 298.818660\ min \approx 4\ hr + 58\ min + 49\ sec$$

as the chart-change term with respect to the SR chart (FIGURE 2.4a).

For the pre-SR symbolic chart (FIGURE 2.4b), we subtract the chart-change term (4 hours, 58 minutes, and 49 seconds) from the SR time (Friday, 07 March 1997 at 03:44:30 pm, CST), thereby getting 10:45:41 am, CST on the SR date. In this symbolic chart, we are looking for major planet-to-angle aspects having a margin of inexactness of about 01°. In this regard, we find a Moon-PC10 conjunction.

For the post-SR symbolic chart, we add the chart-change term (4 hours, 58 minutes, and 49 seconds) to the SR time (Friday, 07 March 1997 at 03:44:30 pm, CST), thereby getting 08:43:19 pm, CST on the SR date. In this symbolic chart, we are looking for major planet-to-angle aspects having a margin of inexactness of about 01°. In this regard, we find nothing.

 Copyright © 2026

FIGURE 2.4a: My 1997 SR chart

(PC12) 21:39 WS12 CN	(PC11) 19:07 WS11 GE	(PC10) 16:35 WS10 TA	Sa 07:23 (PC9) 19:07 WS9 AR	Mo 01:07 Ve 10:54 Me 13:58 Su 17:21 WS8 PI
(PC1) 24:11 WS1 LE	**Aakhut Em Bak** Solar-Return Chart for Age 42 (Tropical) Friday, 07 MAR 1997 at 15:44:30 CST Chicago, IL (41° 51′ N; 87° 39′ W)			Ju 10:17 (PC7) 24:11 WS7 AQ
(PC2) 21:39 WS2 VI	Ma 00:19 R (PC3) 19:07 WS3 LI	(PC4) 16:35 WS4 SC	(PC5) 19:07 WS5 SA	(PC6) 21:39 WS6 CP

FIGURE 2.4b: Pre-SR symbolic chart

(PC12) 13:59 WS12 TA	Sa 07:22 (PC11) 05:29 WS11 AR	Ve 10:39 Me 13:35 Su 17:09 WS10 PI	(PC9) 05:29 Ju 10:14 (PC10) 26:59 Mo 27:59 WS9 AQ	(PC8) 13:59 WS8 CP
(PC1) 22:28 WS1 GE	**Aakhut Em Bak** Pre-SR Symbolic Chart (Tropical) Friday, 07 MAR 1997 at 10:45:41 CST Chicago, IL (41° 51′ N; 87° 39′ W)			(PC7) 22:28 WS7 SA
(PC2) 13:59 WS2 CN	(PC3) 05:29 (PC4) 26:59 WS3 LE	WS4 VI	Ma 00:24 R (PC5) 05:29 WS5 LI	(PC6) 13:59 WS6 SC

Let's interpret the neo-converse Moon-PC10 conjunction with regard to the SR chart and the pre-SR symbolic chart. For SR Moon (in FIGURE 2.4a), we find the following:

> **[SR] Moon in PH7:** Moon is the lord of PH12 (trying situations), and it is the natural representative of nurturers and stages of change. Moon lies in the intersection of PH7 (partnerships) and Pisces WS8 (an ending that facilitates transformation). At her best, feminine

 Copyright © 2026

Pisces is resilient and shows kindly concern for others. In light of the foregoing, Moon refers to me as partnering with others in order to bring forth helpful transformation.

For pre-SR Moon (in FIGURE 2.4b), we find the following:

[Pre-SR] Moon in PH9: Moon is the lord of PH2 (supportive persons or things), and it is the natural representative of nurturers and stages of change. Moon lies in the intersection of PH9 and Aquarius WS9, both houses referring to spiritual or professional know-how. At his best, masculine Aquarius is unselfish and makes improvements for the common good. In light of the foregoing, Moon refers to me as using spiritual or professional know-how to further the common good.

The neo-converse Moon-PC10 conjunction (in FIGURE 2.4b) refers to my *Ifá* initiation as being a transformative spiritual trial that enables me to better help myself and others.

***

Let's use Technique #PD2 to get a prediction date. The neo-converse Moon-PC10 conjunction is a conjunction between Moon and the Midheaven (in PC10). Let's examine this conjunction in the absence of secondary motion. Moon's SR ecliptic longitude is 331° 07′ 58″. The Midheaven's ecliptic longitude takes on this value at about 11:01:29 am, CST on the SR date. From 11:01:29 am, CST (the conjunction moment) to 03:44:30 pm, CST (the SR moment), the chart-time difference is

$$\text{elapsed time} = 4\ hr + 43\ min + 01\ sec \approx 283.016667\ min\ .$$

On making use of Technique #PD2, this chart-time difference corresponds to an age difference of

$$\text{elapsed age} \approx \frac{1\ day\ of\ age}{3.93182447\ min} \times 283.016667\ min \approx 71.98100\ days\ .$$

Therefore, according to Technique #PD2, the neo-converse Moon-PC10 conjunction predicts an event to occur about 72 days after Friday, 07 March 1997 (the SR date), which is on Sunday, 18 May 1997 (Day 138 of 1997). This prediction date is 4 days before Thursday, 22 May 1997 (Day 142 of 1997; my prominent initiation day).

2.5 The converse Moon-PC10 conjunction

[Back to TOC]

In Section 2.4, we found that my spiritual initiation shows up astrologically as the SR-related Moon-PC10 conjunction. The Moon-PC10 conjunction is a converse primary direction in which Moon is the promissor and the Midheaven (in PC10) is the significator. Both Moon and the Midheaven lie in the upper western sky. In FIGURE 2.4b, the Moon-PC10 conjunction appears as a neo-converse primary direction.

If we take the Moon-PC10 conjunction to be traditionally converse, then the Midheaven is the active significator and Saturn is the fixed promissor. From Sections 1.3 and 1.5, we find that

$$\text{arc of direction} = (r_P - r_{MC}) \times (SA)_{MC}$$

where $(SA)_{MC} = 90° + (AD)_{MC}$ and

 Copyright © 2026

$$r_P = \frac{(RA)_{MC} - (RA)_P}{90° + (AD)_P}\,, \qquad r_{MC} = \frac{(RA)_{MC} - (RA)_{MC}}{90° + (AD)_{MC}} = 0\,.$$

It follows that

$$\text{arc of direction} = [(RA)_{MC} - (RA)_P] \times \frac{90° + (AD)_{MC}}{90° + (AD)_P}\,.$$

Note that the subscript P refers to the promissor.

If we take the Moon-PC10 conjunction to be neo-converse, then we look at the what-if situation of reversed primary motion directing an active promissor (Saturn) toward a fixed significator (the Midheaven). In this what-if situation, the arc of direction extends from Saturn toward the Midheaven, and its angular length is the meridian distance $(RA)_{MC} - (RA)_P$. That is, we have

$$\text{arc of direction} = (RA)_{MC} - (RA)_P\,.$$

Note that the subscript P refers to the promissor.

Firstly, let's calculate the pertinent obliquity value. Between the SR time (Friday, 07 March 1997 at 15:44:30 CST, or 21:44:30 UTC) and the epoch J2000.0 (Saturday, 01 January 2000 at approximately 12:00 UTC), the elapsed time in Julian years is approximately

$$\frac{\left[3 \times 365 - \left(30 + 28 + 7 + \frac{9.75}{24}\right)\right] days}{365.25\ days/yr} \approx 2.81887406\ yrs\,,$$

and so the signed number of Julian centuries since the epoch J2000.0 is

$$T \approx -\frac{2.81887406\ yrs}{100\ yrs} = -0.281887406\,.$$

On making use of the obliquity formula in Section 1.1, we get

$$\varepsilon \approx 23° 26' 21.406'' - 46.836769'' \times (-0.281887406)$$

$$\approx 23° 26' 21.406'' + 13.2026953'' = 23° 26' 34.6086953'' \approx 23.44295°\,.$$

Note that T is positive for dates after the epoch and negative for dates before the epoch.

Secondly, let's use pertinent formulas of Section 1.1 to deal with Moon. In the SR chart (FIGURE 2.4a), Moon is at Pisces 01° 07′ 58″ with an ecliptic latitude of +02° 27′ 11″. Therefore, we have

$$\lambda_P = 330° + 01° 07' 58'' = 331° 07' 58'' \approx 331.13278°\,,$$

$$\beta_P = +02° 27' 11'' \approx +2.45306°\,.$$

We find that Moon's declination is

$$\delta_P = \arcsin(\sin\varepsilon \times \cos\beta_P \times \sin\lambda_P + \cos\varepsilon \times \sin\beta_P)$$

$$\approx \arcsin[\sin 23.44295° \times \cos(+2.45306°) \times \sin 331.13278°$$

$$+ \cos 23.44295° \times \sin(+2.45306°)] \approx -8.77901°\,.$$

 Copyright © 2026

The equinoctial distance here is

$$(ED)_P = \arccos\left(\frac{\cos\beta_P \times \cos\lambda_P}{\cos\delta_P}\right) \approx \arccos\left[\frac{\cos(+2.45306°) \times \cos 331.13278°}{\cos(-8.77901°)}\right]$$
$$\approx 27.71026° .$$

Because $\lambda_P > 180°$, we get $(RA)_P = 360° - (ED)_P \approx 332.28974°$ as Moon's right ascension. My geographic latitude of birth is $\Phi = 41° 51' N = +41.85°$. We find that

$$(AD)_P = \arcsin(\tan\delta_P \times \tan\Phi) \approx \arcsin[\tan(-8.77901°) \times \tan(+41.85°)]$$
$$\approx -7.95075°$$

is Moon's ascensional difference.

Thirdly, let's use pertinent formulas of Section 1.1 to deal with the Midheaven. In the SR chart (FIGURE 2.4a), the Midheaven is at Taurus 16° 35′ 07″ with an ecliptic latitude of 0° exactly. Therefore, we have

$$\lambda_{MC} = 30° + 16° 35' 07'' = 46° 35' 07'' \approx 46.58528° , \qquad \beta_{MC} = 0° .$$

We find that the Midheaven's declination is

$$\delta_{MC} = \arcsin(\sin\varepsilon \times \cos\beta_{MC} \times \sin\lambda_{MC} + \cos\varepsilon \times \sin\beta_{MC})$$
$$\approx \arcsin(\sin 23.44295° \times \cos 0° \times \sin 46.58528° + \cos 23.44295° \times \sin 0°)$$
$$\approx +16.79733° .$$

The equinoctial distance here is

$$(ED)_{MC} = \arccos\left(\frac{\cos\beta_{MC} \times \cos\lambda_{MC}}{\cos\delta_{MC}}\right) \approx \arccos\left[\frac{\cos 0° \times \cos 46.58528°}{\cos(+16.79733°)}\right]$$
$$\approx 44.11821° .$$

Because $\lambda_{MC} < 180°$, we get $(RA)_{MC} = (ED)_{MC} \approx 44.11821°$ as the Midheaven's right ascension. My geographic latitude of birth is $\Phi = 41° 51' N = +41.85°$. We find that

$$(AD)_{MC} = \arcsin(\tan\delta_{MC} \times \tan\Phi) \approx \arcsin[\tan(+16.79733°) \times \tan(+41.85°)]$$
$$\approx 15.68656°$$

is the Midheaven's ascensional difference.

Now we are ready to deal with the arc of direction for the converse Moon-PC10 conjunction. Because the Midheaven is zodiacally ahead of Moon, the expression $(RA)_{MC} - (RA)_P$ must be positive. We find that

$$(RA)_{MC} - (RA)_P \approx 44.11821° - 332.28974° = -288.17153°$$
$$\equiv -288.17153° + 360° = 71.82847° .$$

If we take the Moon-PC10 conjunction to be traditionally converse, then

 Copyright © 2026

$$\text{arc of direction} = [(RA)_{MC} - (RA)_P] \times \frac{90° + (AD)_{MC}}{90° + (AD)_P}$$

$$\approx 71.82847° \times \frac{90° + 15.68656°}{90° + (-7.95075°)} \approx 92.52131° .$$

According to the SR time-key, this arc indicates

$$92.52131\ deg \times \frac{1.01456164\ days\ of\ age}{1\ deg} \approx 93.86857\ days\ of\ age ,$$

and so the traditionally converse Moon-PC10 conjunction predicts an event to occur about 94 days after Friday, 07 March 1997 (the SR date), which is on Monday, 09 June 1997 (Day 160 of 1997).

If we take the Moon-PC10 conjunction to be neo-converse, then

$$\text{arc of direction} = (RA)_{MC} - (RA)_P \approx 71.82847° .$$

According to the SR time-key, this arc indicates

$$71.82847\ deg \times \frac{1.01456164\ days\ of\ age}{1\ deg} \approx 72.87441\ days\ of\ age ,$$

and so the neo-converse Moon-PC10 conjunction predicts an event to occur about 73 days after Friday, 07 March 1997 (the SR date), which is on Monday, 19 May 1997 (Day 139 of 1997). This prediction date is 3 days before Thursday, 22 May 1997 (Day 142 of 1997; my prominent initiation day).

***

On performing in-zodiaco calculations for Moon, we find that

$$\delta_P = \arcsin(\sin\varepsilon \times \sin\lambda_P) \approx -11.07348° ,$$

$$(ED)_P = \arccos\left(\frac{\cos\lambda_P}{\cos\delta_P}\right) \approx 26.82931° , \qquad (RA)_P = 360° - (ED)_P \approx 333.17069° ,$$

$$(AD)_P = \arcsin(\tan\delta_P \times \tan\Phi) \approx -10.09576° .$$

On performing in-zodiaco calculations for the Midheaven, we get the corresponding in-mundo results because we truly have $\beta_{MC} = 0°$. For the neo-converse Moon-PC10 conjunction, we get

$$\text{arc of direction} = (RA)_{MC} - (RA)_P \approx 44.11821° - 333.17069°$$

$$\approx -289.05248° \equiv -289.05248° + 360° = 70.94752° .$$

According to the SR time-key, this arc indicates

$$70.94752\ deg \times \frac{1.01456164\ days\ of\ age}{1\ deg} \approx 71.98063\ days\ of\ age ,$$

and so the neo-converse Moon-PC10 conjunction predicts an event to occur about 72 days after Friday, 07 March 1997 (the SR date), which is on Sunday, 18 May 1997 (Day 138 of 1997). This prediction date is 4 days before Thursday, 22 May 1997 (Day 142 of 1997; my prominent initiation day).

 Copyright © 2026

Regarding the neo-converse Moon-PC10 conjunction, we have used three ways to get an associated prediction date. Firstly, in Section 2.4, we used Technique #PD2 to get a prediction date of Sunday, 18 May 1997. Secondly, in this section, we performed in-mundo calculations and got a prediction date of Monday, 19 May 1997. Thirdly, in this section, we performed in-zodiaco calculations and got a prediction date of Sunday, 18 May 1997. The three ways have yielded close results. It is worth noting that Technique #PD2 and the in-zodiaco calculations have yielded the same prediction date.

 Copyright © 2026

3. A KING'S PASSING

3.1 Natal-related primary directions

[Back to TOC]

Martin Luther King Jr. was a civil-rights leader who campaigned against racial injustice in America. On Thursday, 04 April 1968, he passed away from assassination. In this section, we will use Technique #PD1 (of Section 1.9) together with hindsight in order to see how King's passing shows up astrologically with respect to his natal chart.

FIGURE 3.1a: King's natal chart

(PC12) 08:36 WS12 AR	(PC11) 03:24 Ve 10:33 Mo 19:35 WS11 PI	Me 11:45 WS10 AQ	(PC9) 03:24 Su 25:08 (PC10) 28:12 WS9 CP	(PC8) 08:36 Sa 25:21 WS8 SA
Ju 01:10 (PC1) 13:48 WS1 TA	**Martin Luther King Jr.** Natal Chart (Tropical Zodiac) Tuesday, 15 JAN 1929 at 12:00 CST Atlanta, GA (33° 45′ N; 84° 23′ W)			(PC7) 13:48 WS7 SC
(PC2) 08:36 Ma 21:53 R WS2 GE	(PC3) 03:24 (PC4) 28:12 WS3 CN	WS4 LE	(PC5) 03:24 WS5 VI	(PC6) 08:36 WS6 LI

FIGURE 3.1a presents the natal chart of Martin Luther King Jr. Note that Atlanta was in the Central Time Zone until legislation switched it to the Eastern Time Zone on Friday, 21 March 1941.

By Thursday, 04 April 1968 (the date of King's passing), King had lived through 10 leap days (namely, those of 1932, 1936, 1940, 1944, 1948, 1952, 1956, 1960, 1964, and 1968). It follows that on the date of his passing, King's tropical age was about

$$\frac{[(9 \times 366) + (30 \times 365) + 16 + 29 + 31 + 4]\ days}{365.242189\ days/yr} \approx 39.2178134\ yrs\ .$$

On applying Technique #PD1 for $A \approx 39.2178134$, we get

$$(3.93182447 \times A)\ min \approx 154.197558\ min \approx 2\ hr + 34\ min + 12\ sec$$

as the chart-change term with respect to the natal chart (FIGURE 3.1a).

 Copyright © 2026

FIGURE 3.1b: Pre-birth symbolic chart

Me 11:35 (PC12) 18:57 WS12 AQ	(PC11) 20:38 Su 25:01 WS11 CP	(PC10) 22:20 Sa 25:20 WS10 SA	(PC9) 20:38 WS9 SC	(PC8) 18:57 WS8 LI
Ve 10:25 (PC1) 17:15 Mo 18:11 WS1 PI	**Martin Luther King Jr.** Pre-Birth Symbolic Chart (Tropical) Tuesday, 15 JAN 1929 at 09:25:48 CST Atlanta, GA (33° 45′ N; 84° 23′ W)			(PC7) 17:15 WS7 VI
(PC2) 18:57 WS2 AR	Ju 01:09 (PC3) 20:38 WS3 TA	Ma 21:54 R (PC4) 22:20 WS4 GE	(PC5) 20:38 WS5 CN	(PC6) 18:57 WS6 LE

FIGURE 3.1c: Post-birth symbolic chart

Ju 01:10 (PC12) 19:49 WS12 TA	(PC11) 13:32 WS11 AR	(PC10) 07:15 Ve 10:40 Mo 20:58 WS10 PI	Me 11:54 (PC9) 13:32 WS9 AQ	(PC8) 19:49 Su 25:14 WS8 CP
Ma 21:52 R (PC1) 26:06 WS1 GE	**Martin Luther King Jr.** Post-Birth Symbolic Chart (Tropical) Tuesday, 15 JAN 1929 at 14:34:12 CST Atlanta, GA (33° 45′ N; 84° 23′ W)			Sa 25:21 (PC7) 26:06 WS7 SA
(PC2) 19:49 WS2 CN	(PC3) 13:32 WS3 LE	(PC4) 07:15 WS4 VI	(PC5) 13:32 WS5 LI	(PC6) 19:49 WS6 SC

For the pre-birth symbolic chart (FIGURE 3.1b), we subtract the chart-change term (2 hours, 34 minutes, and 12 seconds) from King's birth time (Tuesday, 15 January 1929 at 12:00 pm, CST), thereby getting 09:25:48 am, CST on the birth date. In this symbolic chart, we are looking for major planet-to-angle aspects having a margin of inexactness of about 01°. In this regard, we find a Moon-PC1 conjunction and a Mars-PC4 conjunction.

 Copyright © 2026

For the post-birth symbolic chart (FIGURE 3.1c), we add the chart-change term (2 hours, 34 minutes, and 12 seconds) to King's birth time (Tuesday, 15 January 1929 at 12:00 pm, CST), thereby getting 02:34:12 pm, CST on the birth date. In this symbolic chart, we are looking for major planet-to-angle aspects having a margin of inexactness of about 01°. In this regard, we find a Saturn-PC7 conjunction.

We will limit our attention here to the direct Saturn-PC7 conjunction. Let's interpret this primary direction with regard to his natal chart and his post-birth symbolic chart. For natal Saturn (in FIGURE 3.1a), we find the following:

> **[Natal] Saturn in PH8:** Saturn is the lord of PH9 (spiritual or professional know-how) and PH10 (achieving something significant; head persons), and it is the natural representative of sober-minded action. Saturn lies in the intersection of PH8 and Sagittarius WS8, both houses referring to an ending that facilitates transformation. At his best, masculine Sagittarius is not afraid to go beyond his comfort zone and to take risks in order to achieve worthy goals. In light of the foregoing, Saturn refers to King as achieving something significant through transformative spiritual leadership.
>
> In the context of King's assassination, Saturn is the natural representative of death. Moreover, Saturn lies in the intersection of PH8 and Sagittarius WS8, both houses referring to bodily death. On putting it all together, Saturn refers to King as being assassinated because of his transformative spiritual leadership.

For post-birth Saturn (in FIGURE 3.1c), we find the following:

> **[Post-birth] Saturn in PH8:** Saturn is the lord of PH8 (an ending that facilitates transformation) and PH9 (spiritual or professional know-how), and it is the natural representative of sober-minded action. Saturn lies in the intersection of PH6 (being of service to others) and Sagittarius WS7 (partnerships). At his best, masculine Sagittarius is not afraid to go beyond his comfort zone and to take risks in order to achieve worthy goals. In light of the foregoing, Saturn refers to King as achieving something significant through transformative spiritual leadership.
>
> In the context of King's assassination, Saturn is the lord of PH8 (bodily death), and it is the natural representative of death. Moreover, Saturn lies in the intersection of PH6 (being subject to unwholesome influences) and Sagittarius WS7 (bodily death or bodily harm). On putting it all together, Saturn refers to King as being assassinated because of his transformative spiritual leadership.

The direct Saturn-PC7 conjunction (in FIGURE 3.1c) refers to Saturn as being helpful to PC7 (bodily death or bodily harm).

***

Let's use Technique #PD1 to get a prediction date. The direct Saturn-PC7 conjunction is a conjunction between Saturn and the Descendant (in PC7). Let's examine this conjunction in the absence of secondary motion. Saturn's natal ecliptic longitude is 265° 21′ 07″. The Descendant's ecliptic longitude takes on this value at about 02:30:58 pm, CST on King's birth date. From 12:00 pm, CST (King's birth moment) to 02:30:58 pm, CST (the conjunction moment), the chart-time difference is

 Copyright © 2026

$$\text{elapsed time} = 2\ hr + 30\ min + 58\ sec \approx 150.966667\ min\ .$$

On making use of Technique #PD1, this chart-time difference corresponds to an age difference of

$$\text{elapsed age} \approx \frac{1\ yr\ of\ age}{3.93182447\ min} \times 150.966667\ min \approx 38.39609\ yrs$$

$$= 38\ yrs + \left(0.39609\ yr \times \frac{365.242189\ days}{1\ yr}\right) \approx 38\ yrs + 144.668779\ days\ .$$

Therefore, according to Technique #PD1, the direct Saturn-PC7 conjunction predicts an event to occur about 145 days after Sunday, 15 January 1967 (King's 38th birthday), which is on Friday, 09 June 1967 (Day 160 of 1967). This prediction date is 300 days before Thursday, 04 April 1968 (Day 95 of 1968), which is the date of King's passing.

3.2 The direct Saturn-PC7 conjunction

[Back to TOC]

In Section 3.1, we found that King's passing shows up astrologically as the natal-related Saturn-PC7 square. The Saturn-PC7 conjunction is a direct primary direction in which Saturn is the active promissor and the Descendant (in PC7) is the fixed significator. Both Saturn and the Descendant lie in the upper western sky. From Section 1.5, we find that

$$\text{arc of direction} = (OD)_P - (OD)_{Dsc}\ ,$$

where the subscript P refers to the promissor.

Firstly, let's calculate the pertinent obliquity value. Between King's birth time (Tuesday, 15 January 1929 at 12:00 CST, or 18:00 UTC) and the epoch J2000.0 (Saturday, 01 January 2000 at approximately 12:00 UTC), the elapsed time in Julian years is approximately

$$\frac{\left[(17 \times 366) + (54 \times 365) - \left(14 + \frac{6}{24}\right)\right] days}{365.25\ days/yr} \approx 70.9589322\ yrs\ ,$$

and so the signed number of Julian centuries since the epoch J2000.0 is

$$T \approx -\frac{70.9589322\ yrs}{100\ yrs} = -0.709589322\ .$$

On making use of the obliquity formula in Section 1.1, we get

$$\varepsilon \approx 23°\ 26'\ 21.406'' - 46.836769'' \times (-0.709589322)$$

$$\approx 23°\ 26'\ 21.406'' + 33.2348712'' = 23°\ 26'\ 54.6408712'' \approx 23.44851°\ .$$

Note that T is positive for dates after the epoch and negative for dates before the epoch.

Secondly, let's use pertinent formulas of Section 1.1 to deal with Saturn. In the natal chart (FIGURE 3.1a), Saturn is at Sagittarius 25° 21′ 07″ with an ecliptic latitude of +01° 09′ 56″. Therefore, we have

$$\lambda_P = 240° + 25°\ 21'\ 07'' = 265°\ 21'\ 07'' \approx 265.35194°\ ,$$

 Copyright © 2026

$$\beta_P = +01^\circ\,09'\,56'' = +1.16556^\circ .$$

We find that Saturn's declination is

$$\delta_P = \arcsin(\sin\varepsilon \times \cos\beta_P \times \sin\lambda_P + \cos\varepsilon \times \sin\beta_P)$$
$$\approx \arcsin[\sin 23.44851^\circ \times \cos(+1.16556^\circ) \times \sin 265.35194^\circ$$
$$+ \cos 23.44851^\circ \times \sin(+1.16556^\circ)]$$
$$\approx -22.20196^\circ .$$

The equinoctial distance here is

$$(ED)_P = \arccos\left(\frac{\cos\beta_P \times \cos\lambda_P}{\cos\delta_P}\right) \approx \arccos\left[\frac{\cos(+1.16556^\circ) \times \cos 265.35194^\circ}{\cos(-22.20196^\circ)}\right]$$
$$\approx 95.02015^\circ .$$

Because $\lambda_P > 180^\circ$, we get $(RA)_P = 360^\circ - (ED)_P \approx 264.97985^\circ$ as Saturn's right ascension. King's geographic latitude of birth is $\Phi = 33^\circ\,45'\,N = +33.75^\circ$. For Saturn's ascensional difference, we get

$$(AD)_P = \arcsin(\tan\delta_P \times \tan\Phi) \approx \arcsin[\tan(-22.20196^\circ) \times \tan(+33.75^\circ)]$$
$$\approx -15.82531^\circ ,$$

and so

$$(OD)_P = (RA)_P + (AD)_P \approx 264.97985^\circ + (-15.82531^\circ) = 249.15454^\circ$$

is Saturn's oblique descension.

Thirdly, let's use pertinent formulas of Section 1.1 to deal with the Descendant. In the natal chart (FIGURE 3.1a), the Descendant is at Scorpio 13° 48′ 38″ with an ecliptic latitude of 0° exactly. Therefore, we have

$$\lambda_{Dsc} = 210^\circ + 13^\circ\,48'\,38'' = 223^\circ\,48'\,38'' \approx 223.81056^\circ , \qquad \beta_{Dsc} = 0^\circ .$$

We find that the Descendant's declination is

$$\delta_{Dsc} = \arcsin(\sin\varepsilon \times \cos\beta_{Dsc} \times \sin\lambda_{Dsc} + \cos\varepsilon \times \sin\beta_{Dsc})$$
$$\approx \arcsin(\sin 23.44851^\circ \times \cos 0^\circ \times \sin 223.81056^\circ + \cos 23.44851^\circ \times \sin 0^\circ)$$
$$\approx -15.99025^\circ .$$

The equinoctial distance here is

$$(ED)_{Dsc} = \arccos\left(\frac{\cos\beta_{Dsc} \times \cos\lambda_{Dsc}}{\cos\delta_{Dsc}}\right) \approx \arccos\left[\frac{\cos 0^\circ \times \cos 223.81056^\circ}{\cos(-15.99025^\circ)}\right]$$
$$\approx 138.64909^\circ .$$

Because $\lambda_{Dsc} > 180^\circ$, we get $(RA)_{Dsc} = 360^\circ - (ED)_{Dsc} \approx 221.35091^\circ$ as the Descendant's right ascension. King's geographic latitude of birth is $\Phi = 33^\circ\,45'\,N = +33.75^\circ$. For the Descendant's ascensional difference, we get

 Copyright © 2026

$$(AD)_{Dsc} = \arcsin(\tan\delta_{Dsc} \times \tan\Phi) \approx \arcsin[\tan(-15.99025°) \times \tan(+33.75°)]$$
$$\approx -11.03882°\,,$$

and so

$$(OD)_{Dsc} = (RA)_{Dsc} + (AD)_{Dsc} \approx 221.35091° + (-11.03882°) = 210.31209°$$

is the Descendant's oblique descension.

Now we are ready to deal with the arc of direction for the direct Saturn-PC7 conjunction. We find that

$$\text{arc of direction} = (OD)_P - (OD)_{Dsc} \approx 249.15454° - 210.31209° = 38.84245°\,.$$

According to the Naibod time-key, this arc indicates

$$38.84245\ deg \times \frac{1.01456164\ yrs\ of\ age}{1\ deg} \approx 39.40806\ yrs\ of\ age$$

$$= 39\ yrs + \left(0.40806\ yr \times \frac{365.242189\ days}{1\ yr}\right) \approx 39\ yrs + 149.04073\ days\,,$$

and so the direct Saturn-PC7 conjunction predicts an event to occur about 149 days after Monday, 15 January 1968 (King's 39th birthday), which is on Wednesday, 12 June 1968 (Day 164 of 1968). This prediction date is 69 days after Thursday, 04 April 1968 (Day 95 of 1968; the date of King's passing).

***

On performing in-zodiaco calculations for Saturn, we find that

$$\delta_P = \arcsin(\sin\varepsilon \times \sin\lambda_P) \approx -23.36680°\,,$$

$$(ED)_P = \arccos\left(\frac{\cos\lambda_P}{\cos\delta_P}\right) \approx 95.06437°\,, \qquad (RA)_P = 360° - (ED)_P \approx 264.93563°\,,$$

$$(AD)_P = \arcsin(\tan\delta_P \times \tan\Phi) \approx -16.77937°\,,$$

$$(OD)_P = (RA)_P + (AD)_P \approx 248.15626°\,.$$

On performing in-zodiaco calculations for the Descendant, we get the corresponding in-mundo results because we truly have $\beta_{Dsc} = 0°$. For the direct Saturn-PC7 conjunction, we get

$$\text{arc of direction} = (OD)_P - (OD)_{Dsc} \approx 248.15626° - 210.31209° = 37.84417°\,.$$

According to the Naibod time-key, this arc indicates

$$37.84417\ deg \times \frac{1.01456164\ yrs\ of\ age}{1\ deg} \approx 38.39524\ yrs\ of\ age$$

$$= 38\ yrs + \left(0.39524\ yr \times \frac{365.242189\ days}{1\ yr}\right) \approx 38\ yrs + 144.35832\ days\,,$$

 Copyright © 2026

and so the direct Saturn-PC7 conjunction predicts an event to occur about 144 days after Sunday, 15 January 1967 (King's 38th birthday), which is on Thursday, 08 June 1967 (Day 159 of 1967). This prediction date is 301 days before Thursday, 04 April 1968 (Day 95 of 1968), which is the date of King's passing.

Regarding the direct Saturn-PC7 conjunction, we have used three ways to get an associated prediction date. Firstly, in Section 3.1, we used Technique #PD1 to get a prediction date of Friday, 09 June 1967. Secondly, in this section, we performed in-mundo calculations and got a prediction date of Wednesday, 12 June 1968. Thirdly, in this section, we performed in-zodiaco calculations and got a prediction date of Thursday, 08 June 1967. The in-mundo calculations have yielded a good prediction date. It is worth noting that Technique #PD1 and the in-zodiaco calculations have almost yielded the same bad prediction date.

3.3 SR-related primary directions

[Back to TOC]

Having found a natal-related primary direction referring to King's passing, it is now legitimate to look for a pertinent SR-related primary direction. In this section, we will use Technique #PD2 (of Section 1.9) together with hindsight in order to see how King's passing shows up astrologically with respect to his 1968 solar-return chart.

FIGURE 3.3a: King's 1968 SR chart

<table>
<tr><td>Ju 04:51 R
(PC12) 15:39

WS12 VI</td><td>Mo 01:39
(PC11) 16:07

WS11 LE</td><td>(PC10) 16:35

WS10 CN</td><td>(PC9) 16:07

WS9 GE</td><td>(PC8) 15:39

WS8 TA</td></tr>
<tr><td>(PC1) 15:11

WS1 LI</td><td colspan="3">Martin Luther King Jr.
Solar-Return Chart for Age 39 (Tropical)
Tuesday, 16 JAN 1968 at 00:10:40 EST
Atlanta, GA (33° 45′ N; 84° 23′ W)</td><td>Sa 06:54
(PC7) 15:11

WS7 AR</td></tr>
<tr><td>(PC2) 15:39

WS2 SC</td><td>(PC3) 16:07
Ve 17:12

WS3 SA</td><td>(PC4) 16:35
Su 25:08

WS4 CP</td><td>Me 06:32
(PC5) 16:07

WS5 AQ</td><td>Ma 05:18
(PC6) 15:39

WS6 PI</td></tr>
</table>

On Monday, 15 January 1968, King reached age 39. Sun reached its natal ecliptic longitude (295° 08′ 04″) on Tuesday, 16 January 1968 at 12:10:40 am, EST (the SR time). FIGURE 3.3a presents King's 1968 SR chart. From the SR date to Thursday, 04 April 1968 (the date of King's passing), there are 79 mean solar days. On applying Technique #PD2 for $D = 79$, we get

 Copyright © 2026

$$(3.93182447 \times D)\ min \approx 310.614133\ min \approx 5\ hr + 10\ min + 37\ sec$$

as the chart-change term with respect to the SR chart (FIGURE 3.3a).

For the pre-SR symbolic chart, we subtract the chart-change term (5 hours, 10 minutes, and 37 seconds) from the SR time (Tuesday, 16 January 1968 at 12:10:40 am, EST), thereby getting 07:00:03 pm, EST on the previous day. In this symbolic chart, we are looking for major planet-to-angle aspects having a margin of inexactness of about 01°. In this regard, we find nothing.

For the post-SR symbolic chart (FIGURE 3.3b), we add the chart-change term (5 hours, 10 minutes, and 37 seconds) to the SR time (Tuesday, 16 January 1968 at 12:10:40 am, EST), thereby getting 05:21:17 am, EST on the SR date. In this symbolic chart, we are looking for major planet-to-angle aspects having a margin of inexactness of about 01°. In this regard, we find a Mercury-PC4 sextile and a Saturn-PC4 conjunction.

FIGURE 3.3b: Post-SR symbolic chart

<table>
<tr><td>(PC11) 00:59
(PC12) 25:35

WS12 SC</td><td>(PC10) 06:23

WS11 LI</td><td>(PC9) 00:59
Ju 04:50 R

WS10 VI</td><td>Mo 04:29

WS9 LE</td><td>(PC8) 25:35

WS8 CN</td></tr>
<tr><td>Ve 17:27
(PC1) 20:11

WS1 SA</td><td colspan="3">Martin Luther King Jr.
Post-SR Symbolic Chart (Tropical)
Tuesday, 16 JAN 1968 at 05:21:17 EST
Atlanta, GA (33° 45′ N; 84° 23′ W)</td><td>(PC7) 20:11

WS7 GE</td></tr>
<tr><td>Su 25:21
(PC2) 25:35

WS2 CP</td><td>Me 06:54

WS3 AQ</td><td>(PC3) 00:59
Ma 05:28

WS4 PI</td><td>(PC4) 06:23
Sa 06:55

WS5 AR</td><td>(PC5) 00:59
(PC6) 25:35

WS6 TA</td></tr>
</table>

We will limit our attention here to the direct Saturn-PC4 conjunction. Let's interpret this primary direction with regard to his SR chart and his post-SR symbolic chart. For SR Saturn (in FIGURE 3.3a), we find the following:

> **[SR] Saturn in PH8:** Saturn is the lord of PH4 (a secure footing) and PH5 (personal interests), and it is the natural representative of sober-minded action. Saturn lies in the intersection of PH6 (being of service to others) and Aries WS7 (partnerships). At his best, masculine Aries has the courage to jump into action in order to enthusiastically pursue worthy goals. In light of the foregoing, Saturn refers to King as making it his business to get a secure footing for his community.
>
> In the context of King's assassination, Saturn is the natural representative of death. Moreover, Saturn lies in the intersection of PH3 (hidden threats) and Pisces WS4 (being gravebound).

 Copyright © 2026

Note that with respect to the 4th House (being gravebound), the 3rd House is the derived 12th House (hidden enemies). On putting it all together, Saturn refers to King as being assassinated because of his efforts in behalf of his community.

For post-SR Saturn (in FIGURE 3.3b), we find the following:

[Post-SR] Saturn in PH3: Saturn is the lord of PH2 (supportive persons or things) and the lord of WS3 (community), and it is the natural representative of sober-minded action. Saturn lies in the intersection of PH3 (community) and Aries WS5 (personal interests). At his best, masculine Aries has the courage to jump into action in order to enthusiastically pursue worthy goals. In light of the foregoing, Saturn refers to King as making it his business to act in behalf of his community.

In the context of King's assassination, Saturn is the natural representative of death. On putting it all together, Saturn refers to King as being assassinated because of his efforts in behalf of his community.

The direct Saturn-PC4 conjunction (in FIGURE 3.3b) refers to Saturn as being helpful to PC4 (being gravebound).

***

Let's use Technique #PD2 to get a prediction date. The direct Saturn-PC4 conjunction is a conjunction between Saturn and the Imum Coeli (in PC4). Let's examine this conjunction in the absence of secondary motion. Saturn's SR ecliptic longitude is 06° 54′ 50″. The Imum Coeli's ecliptic longitude takes on this value at about 11:01:29 am, EST on the SR date. From 12:10:40 am, EST (the SR moment) to 05:23:12 am, EST (the conjunction moment), the time difference is

$$\text{elapsed time} = 5\ hr + 12\ min + 32\ sec \approx 312.533333\ min\ .$$

On making use of the SR time-key, this time difference corresponds to an age difference of

$$\text{elapsed age} \approx \frac{1\ day\ of\ age}{3.93182447\ min} \times 312.533333\ min \approx 79.48812\ days\ .$$

Therefore, according to Technique #PD2, the direct Saturn-PC4 conjunction predicts an event to occur about 79 days after Tuesday, 16 January 1968 (the SR date), which is on Thursday, 04 April 1968 (Day 95 of 1968; the date of King's passing).

3.4 The direct Saturn-PC4 conjunction

[Back to TOC]

In Section 3.3, we found that King's passing shows up astrologically as the SR-related Saturn-PC4 conjunction. The Saturn-PC4 conjunction is a direct primary direction in which Saturn is the active promissor and the Imum Coeli (in PC4) is the fixed significator. Both Saturn and the Imum Coeli lie in the lower western sky. From Section 1.7, we find that

$$\text{arc of direction} = (RA)_P - (RA)_{IC}\ ,$$

where the subscript P refers to the promissor.

 Copyright © 2026

Firstly, let's calculate the pertinent obliquity value. Between King's SR time (Tuesday, 16 January 1968 at 00:10:40 EST, or 05:10:40 UTC) and the epoch J2000.0 (Saturday, 01 January 2000 at approximately 12:00 UTC), the elapsed time in Julian years is approximately

$$\frac{\left[(8 \times 366) + (24 \times 365) - \left(15 - \frac{7}{24}\right)\right] days}{365.25\ days/yr} \approx 31.9597308\ yrs\,,$$

and so the signed number of Julian centuries since the epoch J2000.0 is

$$T \approx -\frac{31.9597308\ yrs}{100\ yrs} = -0.319597308\,.$$

On making use of the obliquity formula in Section 1.1, we get

$$\varepsilon \approx 23^\circ\ 26'\ 21.406'' - 46.836769'' \times (-0.319597308)$$

$$\approx 23^\circ\ 26'\ 21.406'' + 14.9689053'' = 23^\circ\ 26'\ 36.3749053'' \approx 23.44344^\circ\,.$$

Note that T is positive for dates after the epoch and negative for dates before the epoch.

Secondly, let's use pertinent formulas of Section 1.1 to deal with Saturn. In the SR chart (FIGURE 3.3a), Saturn is at Aries 06° 54′ 50″ with an ecliptic latitude of −02° 22′ 43″. Therefore, we have

$$\lambda_P = 0^\circ + 06^\circ\ 54'\ 50'' = 06^\circ\ 54'\ 50'' \approx 6.91389^\circ\,,$$

$$\beta_P = -02^\circ\ 22'\ 43'' = -2.37861^\circ\,.$$

We find that Saturn's declination is

$$\delta_P = \arcsin(\sin\varepsilon \times \cos\beta_P \times \sin\lambda_P + \cos\varepsilon \times \sin\beta_P)$$

$$\approx \arcsin[\sin 23.44344^\circ \times \cos(-2.37861^\circ) \times \sin 6.91389^\circ$$

$$+ \cos 23.44344^\circ \times \sin(-2.37861^\circ)]$$

$$\approx +0.55998^\circ\,.$$

The equinoctial distance here is

$$(ED)_P = \arccos\left(\frac{\cos\beta_P \times \cos\lambda_P}{\cos\delta_P}\right) \approx \arccos\left[\frac{\cos(-2.37861^\circ) \times \cos 6.91389^\circ}{\cos(+0.55998^\circ)}\right]$$

$$\approx 7.28837^\circ\,.$$

Because $\lambda_P < 180^\circ$, we get $(RA)_P = (ED)_P \approx 7.28837^\circ$ as Saturn's right ascension.

Thirdly, let's use pertinent formulas of Section 1.1 to deal with the Imum Coeli. In the SR chart (FIGURE 3.3a), the Imum Coeli is at Capricorn 16° 35′ 59″ with an ecliptic latitude of 0° exactly. Therefore, we have

$$\lambda_{IC} = 270^\circ + 16^\circ\ 35'\ 59'' = 286^\circ\ 35'\ 59'' \approx 286.59972^\circ\,, \qquad \beta_{IC} = 0^\circ\,.$$

We find that the Imum Coeli's declination is

 Copyright © 2026

$$\delta_{IC} = \arcsin(\sin\varepsilon \times \cos\beta_{IC} \times \sin\lambda_{IC} + \cos\varepsilon \times \sin\beta_{IC})$$
$$\approx \arcsin(\sin 23.44344° \times \cos 0° \times \sin 286.59972° + \cos 23.44344° \times \sin 0°)$$
$$\approx -22.41194° .$$

The equinoctial distance here is

$$(ED)_{IC} = \arccos\left(\frac{\cos\beta_{IC} \times \cos\lambda_{IC}}{\cos\delta_{IC}}\right) \approx \arccos\left[\frac{\cos 0° \times \cos 286.59972°}{\cos(-22.41194°)}\right]$$
$$\approx 71.99949° .$$

Because $\lambda_{IC} > 180°$, we get $(RA)_{IC} = 360° - (ED)_{IC} \approx 288.00051°$ as the Imum Coeli's right ascension.

Now we are ready to deal with the arc of direction for the direct Saturn-PC4 conjunction. We find that

$$\text{arc of direction} = (RA)_P - (RA)_{IC} \approx 7.28837° - 288.00051° = -280.71214°$$
$$\equiv -280.71214° + 360° = 79.28786° .$$

According to the SR time-key, this arc indicates

$$79.28786\ deg \times \frac{1.01456164\ days\ of\ age}{1\ deg} \approx 80.44242\ days\ of\ age\ ,$$

and so the direct Saturn-PC4 conjunction predicts an event to occur about 80 days after Tuesday, 16 January 1968 (the SR date), which is on Friday, 05 April 1968 (Day 96 of 1968). This prediction date is 1 day after Thursday, 04 April 1968 (Day 95 of 1968; the date of King's passing).

***

On performing in-zodiaco calculations for Saturn, we find that

$$\delta_P = \arcsin(\sin\varepsilon \times \sin\lambda_P) \approx +2.74503° ,$$
$$(ED)_P = \arccos\left(\frac{\cos\lambda_P}{\cos\delta_P}\right) \approx 6.34803° , \qquad (RA)_P = (ED)_P \approx 6.34803° .$$

On performing in-zodiaco calculations for the Imum Coeli, we get the corresponding in-mundo results because we truly have $\beta_{IC} = 0°$. For the direct Saturn-PC7 conjunction, we get

$$\text{arc of direction} = (RA)_P - (RA)_{IC} \approx 6.34803° - 288.00051° = -281.65248°$$
$$\equiv -281.65248° + 360° = 78.34752° .$$

According to the SR time-key, this arc indicates

$$78.34752\ deg \times \frac{1.01456164\ days\ of\ age}{1\ deg} \approx 79.48839\ days\ of\ age\ ,$$

and so the direct Saturn-PC4 conjunction predicts an event to occur about 79 days after Tuesday, 16 January 1968 (the SR date), which is on Thursday, 04 April 1968 (Day 95 of 1968; the date of King's passing).

 Copyright © 2026

Regarding the direct Saturn-PC4 conjunction, we have used three ways to get an associated prediction date. Firstly, in Section 3.3, we used Technique #PD2 to get a prediction date of Thursday, 04 April 1968. Secondly, in this section, we performed in-mundo calculations and got a prediction date of Friday, 05 April 1968. Thirdly, in this section, we performed in-zodiaco calculations and got a prediction date of Thursday, 04 April 1968. The in-mundo calculations have yielded a predicted date that is 1 day after King passed away. Technique #PD2 and the in-zodiaco calculations have yielded the same prediction date, which is the date of King's passing.

 Copyright © 2026

Bibliography

[Back to TOC]

1. Bak, Aakhut Em, *A Taste of Astrology, A Tropical Zodiacal Approach*, unpublished, posted on the website < https://www.ifakunle.net>.

2. Borealis, Alexey, *Predictive Astrology Textbook*, The Wessex Astrologer (2025), ISBN-10: 1916625363, ISBN-13: 978-1916625365; various articles from the blog website <https://morinus-astrology.com/blog/author/alexei-borealis/>.

3. Gansten, Martin, *Annual Predictive Techniques of the Greek, Arabic and Indian Astrologers*, The Wessex Astrologer (2020), ISBN-10: 1910531413, ISBN-13: 978-1910531419; *Primary Directions: Astrology's Old Master Technique*, The Wessex Astrologer (2009), ISBN-10: 1902405390, ISBN-13: 978-1902405391.

4. Louis, Anthony, *Secrets of Predictive Astrology*, 1st edition, Llewellyn Publications (2023), ISBN-10: 0738774642, ISBN-13: 978-0738774640; *Primary Directions in Astrology: A Primer, Kindle Edition 1.0* (2013); various articles from the blog website <https://tonylouis.wordpress.com/author/tonylouis/>.

5. Uysal, Sira Nur, the blog post *What are Primary Directions? The Most Powerful Predictive Technique of Ancient Astrology* (06 April 2026). The blog website is <https://sirauysal.com/en/blog/>.

6. Ventura, João Miguel Jones, the blog post *Predictive Directions – A Simple Approach* (30 November 2014); the blog post *On Diurnal and Nocturnal Arcs* (24 November 2014). The blog website is <https://flatangle.com/blog/>.

 Copyright © 2026

Index

[Back to TOC]

A

active sphere, 4

arc of direction, 5

ascensional difference, 6

B

Bianchini aspect circle, 4

D

declination, 3

direct primary direction, 5

diurnal semi-arc, 6

E

equinoctial distance, 3

F

fixed sphere, 4

H

horizonal distance, 6

house cusp, 5

I

in mundo, 20

in zodiaco, 20

J

Julian year, 3

L

LR time-key, 12

M

mean solar day, 10

mean tropical year, 10

meridian distance, 6

N

Naibod time-key, 11

neo-converse primary direction, 5

nocturnal semi-arc, 6

O

oblique ascension, 6

oblique descension, 6

obliquity, 3

P

Porphyry house system, 15

Ptolemy time-key, 11

primary direction, 4

primary motion, 4

promissor, 5

proportional location, 6

Q

quadrant-house system, 5

Copyright © 2026

R

right ascension, 3

rising sign, 15

S

secondary motion, 12

sidereal day, 10

sidereal year, 10

significator, 5

T

traditionally converse primary direction, 5

W

whole-sign house system, 15

 Copyright © 2026